

Quick Stick

Multi-Purpose Webbing Spray Adhesive



TECHNICAL DATA SHEET



Gives a clear web pattern that is ideal for porous and rough surfaces!



- Non-chlorinated formula
- Webbing spray pattern dries translucent
- Will not deplete ozone
- Spray on one surface for temporary bond; spray on both surfaces for a permanent bond

DANGER: EXTREMELY FLAMMABLE. VAPOR HARMFUL, IRRITANT OR FATAL IF SWALLOWED. MAY CAUSE SKIN, EYE AND RESPIRATORY IRRITATION. CONTENTS UNDER PRESSURE. READ INSTRUCTIONS ON BACK PANEL.
NET WT. 12 OZ. (340 GRAMS)

SKU: 07121

Quick Stick provides a combination of versatility and performance for the most demanding applications. Quick Stick's webbing spray pattern dries translucent and adheres to virtually any surface. Quick Stick is waterproof, flexible and non-staining, and formulated with the environment in mind - no chlorinated solvents or ozone depleters.

- *Fast track, quick adhesion*
- *Temporary or permanent bonds*
- *Waterproof and non-staining*
- *Non-chlorinated and non-ozone depleting*

For temporary bonds, spray only one side. For permanent bonds, spray both sides.

Carpeting



Labeling



Packaging



Signage



Dries Translucent & Adheres To:

- | | |
|------------|--------------------|
| Carpeting | Metal |
| Cloth | Corrugated Paper |
| Cardboard | Packaging |
| Cork | Signage |
| Foils | Plastics |
| Fiberboard | Wood |
| Labeling | Painted Surfaces |
| Leather | Unpainted Surfaces |
| Rubber | |



**Continental
Research
Corporation**

HASSLE FREE BUSINESS SINCE 1967

© 2010 Continental Research Corporation. [073010]

PRODUCT LABEL

Quick Stick is recommended for decorative laminate to particleboard and MDF (medium-density fiberboard) substrates, metals and plywood. This product has an adjustable tip offering the user a webbing type spray pattern that is water white and does not contain Methylene Chloride. Its unique formula prevents soak-in of the adhesive on porous surfaces. It offers the user very high coverage with a fast tack time for general purpose bonding of a wide variety of substrates. Provides both temporary and permanent bonds.

Web Spray Adhesives do not contain more than 55% VOC.

DIRECTIONS: Shake well before using. Surfaces to be bonded must be free of dust and debris. For best results, use at temperatures above 50°F (10°C). Spray from a distance of 8-10 inches, keeping the tip moving in order to achieve an even webbing of adhesive on the surface to be bonded. If a permanent bond is desired, spray both surfaces, allow adhesive to dry to a tack, and then bond.

CLEANING SPRAY TIP: When finished with application, always turn can upside down and spray for two seconds to clear valve and prevent clogging. If adhesive accumulates around the nozzle, wipe clear while wet. If dried in valve opening, remove with degreasing solvent. Not recommended for unsupported vinyl fabric. Certain plastic and elastomeric substrates can exhibit bond failure due to plasticizer migration. Combinations of high temperature and humidity can promote bond failure. Testing of production parts in typical operating environments for compatibility is recommended. Excess adhesive or overspray can be cleaned with a petroleum solvent.

Use directional arrow on spray head to avoid spraying in eyes. NOTE: Use as directed. Intentional misuse by deliberately concentrating and inhaling the contents may be harmful or fatal. Keep out of reach of children. Primary health concerns regarding this product are related to the solvent vapors. Once this product is dried, these warnings do not apply.

Category: Web Spray Adhesive.

VOC content is less than 55% by weight.

See Safety Data Sheet for complete safety information. CONTAINS NO OZONE DEPLETING CHEMICALS! MADE IN THE U.S.A.



Quick Stick Multi-Purpose Webbing Spray Adhesive

DANGER: Extremely flammable aerosol. May be fatal if swallowed and enters airways. Causes skin irritation. Causes serious eye irritation. May cause drowsiness or dizziness. Suspected of damaging fertility. May cause damage to organs through prolonged or repeated exposure. Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Keep away from heat/sparks/open flames/hot surfaces. No smoking. Do not spray on an open flame or other ignition source. Pressurized container: Do not pierce or burn, even after use. Do not breathe gas. Wash thoroughly after handling. Use only outdoors or in a well-ventilated area. Wear protective gloves/protective clothing/eye protection/face protection. Store in a well ventilated place. Store locked up. Protect from sunlight. Do not expose to temperatures exceeding 49°C/120°F. Dispose of contents/container in accordance with local/regional/national/international regulations.

FIRST AID: IF SWALLOWED: Immediately call a poison center/doctor. Do NOT induce vomiting. IF ON SKIN: Wash with plenty of water. If skin irritation occurs: Get medical advice/attention. Take off contaminated clothing and wash before reuse. IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a poison center/doctor if you feel unwell. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention. IF EXPOSED OR CONCERNED: Get medical advice/attention.

CONTAINS (CAS#): Acetone (67-64-1), Propane(74-98-6),DimethylEther(115-10-6), n-Hexane (110-54-3), 2-Methylpentane (107-83-5) and 3-Methylpentane (96-14-0).

SOLD BY:

CONTINENTAL RESEARCH CORP.
PO Box 15204, St. Louis, MO 63110
1-800-325-4869 • www.crcorp.com
24 Hour Fax: 314-776-6810



Quick Stick

Multi-Purpose Webbing Spray Adhesive

- High solids & strength
- Non-chlorinated formula
- Webbing spray pattern dries fast & translucent
- Will not deplete ozone
- Spray on one surface for temporary bond; spray on both surfaces for a permanent bond

DANGER: EXTREMELY FLAMMABLE. VAPOR HARMFUL. HARMFUL OR FATAL IF SWALLOWED. MAY CAUSE SKIN, EYE AND RESPIRATORY IRRITATION. CONTENTS UNDER PRESSURE. READ CAUTIONS ON BACK PANEL.

NET WT. 12 OZ / 340 Grams



Continental Research Corporation

HASSLE FREE BUSINESS SINCE 1967

© 2010 Continental Research Corporation. [073010]